



JEE (MAIN) 2024

MEMORY BASED QUESTIONS & SOLUTIONS

SHIFT-1

DATE & DAY: 27th January 2024 & Saturday

PAPER-1

Duration: 3 Hrs.
Time: 09:00 - 12:00 IST

SUBJECT: PHYSICS

ADMISSIONS OPEN FOR CLASS 12+

ACADEMIC SESSION 2024-25



TARGET: JEE (ADV.) 2024

For Class XII Passed Student

VISHESH COURSE

MODE: OFFLINE/ONLINE



CLASS STARTS
08th APRIL, 2024



TARGET: JEE (MAIN) 2024

For Class XII Passed Student

ABHYAAS COURSE

MODE: OFFLINE/ONLINE



CLASS STARTS
08th APRIL, 2024

SCHOLARSHIP ON THE BASIS OF JEE (MAIN) 2024 %ILE/AIR

REGISTERED & CORPORATE OFFICE (CIN: U80302RJ2007PLC024029):

CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Rajasthan) - 324005

0744-2777777 | 73400 10345 | contact@resonance.ac.in | www.resonance.ac.in | Follow Us: @ResonanceEdu | @Resonance_Edu

This solutions was download from Resonance JEE (Main) 2024 Solution Portal

PART : PHYSICS


1. A train running at 12 m/s on track 1.5 m apart is going to cross a curve of $r = 400$ m. How much should

be the one of rail of track lifted so that it can cross the curve.

- (1) 0.0094 m (2) 0.027 m (3) 0.076 m (4) 0.053 m

Ans. (4)

Sol.



$$\tan \theta = \frac{v^2}{rg}$$

$$\Rightarrow \frac{H}{\sqrt{(1.5)^2 - H^2}} = \frac{(12)^2}{400 \times 10}$$

$$\Rightarrow 1.5^2 - H^2 = (27.78)^2 H^2$$

$$\Rightarrow H = 0.053 \text{ m}$$

2. Statement -I \Rightarrow Plank constant & Angular momentum have same dimensions

Statement -II \Rightarrow Linear momentum & Moment of force has same dimension

- (1) Statement I and II correct
 (2) Statement I and II both incorrect
 (3) Statement I correct and II incorrect
 (4) Statement I incorrect and II is correct

Ans. (3)

Sol. (I) $E = h\nu$

$$h = \frac{E}{\nu} = \frac{\text{Kg m}^2 \text{s}^{-2}}{\text{s}^{-1}} = \text{Kg m}^2 \text{s}^{-1} \quad [M^1 L^2 T^{-1}]$$

$$L = mvr = \text{Kg m}^2 \text{s}^{-1} \quad [M^1 L^2 T^{-1}]$$

$$(II) b = mv = \text{Kg ms}^{-1} \Rightarrow [M^1 L^1 T^{-1}]$$

$$\tau = Fr = \text{Kg m}^2 \text{s}^{-2} \Rightarrow [M^1 L^2 T^{-2}]$$

Statement (I) True

Statement (II) Wrong

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | facebook.com/ResonanceEdu | twitter.com/ResonanceEdu | www.youtube.com/resonance | blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 1


Resonance® | JEE(Main) 2024 | DATE : 27-01-2024 (SHIFT-1) | PAPER-1 | MEMORY BASED | PHYSICS

3. A block of mass 1000kg has velocity 6 m/s if extra 200 kg mass is embedded in it new velocity of the combined mass ?

- (1) 5 m/s (2) 3 m/s (3) 10 m/s (4) 2 m/s

Ans. (1)

Sol.



$$P_i = P_f$$

$$\Rightarrow 1000 \times 6 = (1000 + 200) v$$

$$\Rightarrow v = 5 \text{ m/s}$$

4. Find $\frac{\Delta v}{v}$ at 4000 m depth in ocean.

Given $B = 2 \times 10^9$ $\rho = 1000 \text{ kg/m}^3$ $g = 10 \text{ m/s}^2$
 (1) 1×10^{-9} (2) 10×10^{-9} (3) 2×10^{-9} (4) 8×10^{-9}

Ans. (3)

Sol. $B = \frac{\Delta P}{\left(\frac{\Delta v}{v}\right)}$

$$\frac{\Delta v}{v} = \frac{\Delta P}{B} = \frac{\rho gh}{B}$$

$$\frac{\Delta v}{v} = \frac{1000 \times 10 \times 4000}{2 \times 10^9} = 2 \times 10^{-9}$$

5. A particle doing SHM with amplitude 4 cm and maximum velocity 10 cm/s (at origin). Find position where velocity is 5 cm/s

(1) $\sqrt{12}$ cm (2) 4 cm (3) 9 cm (4) $\sqrt{16}$ cm

Ans. (1)

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/resowatch blog.resonance.ac.in


This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 2



| JEE(Main) 2024 | DATE : 27-01-2024 (SHIFT-1) | PAPER-1 | MEMORY BASED | PHYSICS

Sol.



$$v = \omega \sqrt{A^2 - x^2}$$

at $x = 0$

$$10 = \omega(4)$$

$$\Rightarrow \omega = \frac{10}{4} \text{ rad/s}$$

$$v_x = \frac{10}{4} \sqrt{(4)^2 - x^2}$$

$$\Rightarrow \left(\frac{5 \times 4}{10}\right)^2 = 16 - x^2$$

$$\Rightarrow x^2 = 12$$

$$\Rightarrow x = \pm \sqrt{12} \text{ cm}$$


6. Resistance of length l is cut into five equal parts and these parts are kept in parallel then find new

6. Resistance of length ℓ is cut into five equal parts and those parts are kept in parallel then find new resistance?

- (1) R (2) $\frac{R}{25}$ (3) 25 R (4) 5R

Ans. (2)

Sol.



Total resistance = R

$\therefore R \propto \ell$

Resistance of each segment = $\frac{R}{5}$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No.: +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/resowatch blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal


PAGE # 3

$$\therefore \frac{1}{R_{eq}} = \frac{1}{R/5} + \frac{1}{R/5} + \frac{1}{R/5} + \frac{1}{R/5} + \frac{1}{R/5}$$

$$\frac{1}{R_{eq}} = \frac{25}{R}$$

$$R_{eq} = \frac{R}{25}$$


7. Two infinitely long parallel wires having current 10 A in opposite directions are placed 5 cm apart to each other. Find the magnetic field at mid point between the wires.



- (1) 16×10^{-5} Tesla (2) 32×10^{-5} Tesla
 (3) 64×10^{-5} Tesla (4) 8×10^{-5} Tesla

Ans. (1)

Sol.



$$B = B_1 + B_2$$

$$B = \frac{\mu_0 I}{2\pi r} + \frac{\mu_0 I}{2\pi r}$$

$$\therefore B = \mu_0 \frac{2I}{2\pi r}$$

$$B = Z \frac{\mu_0 I}{2\pi r}$$

After putting values

$$B = 16 \times 10^{-5} \text{ T}$$

8. If the electron revolving in the 3rd bohr's orbit of hydrogen has radius R then what will be its radius in 4th orbit in terms of R

- (1) $\frac{25}{9}R$ (2) $\frac{16}{9}R$ (3) $\frac{36}{9}R$ (4) $\frac{9}{16}R$

Ans. (2)

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/resovatch blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 4



| JEE(Main) 2024 | DATE : 27-01-2024 (SHIFT-1) | PAPER-1 | MEMORY BASED | PHYSICS

Sol.

$$R = R_0 \frac{n^2}{z}$$

$$R_3 = R = R_0 \frac{n^2}{z} = R_0 \frac{(3)^2}{1}$$

$$R_4 = R_0(4)^2$$

$$\frac{R_4}{R} = \frac{4^2}{3^2}$$

$$R_4 = \frac{16}{9}R$$

9. Kinetic energies of two particles A and B of mass 4 and 25 kg are equal. Find ratio of their linear momentum.

- (1) 0.2 (2) 0.4 (3) 0.6 (4) 0.8

Ans. (2)


Sol. $\frac{P_A}{P_B} = \sqrt{\frac{m_A}{m_B}} = \sqrt{\frac{4}{25}} = \frac{2}{5} = 0.4$

10. A proton moving with constant velocity enters in field zone having uniform magnetic field and electric field; then we can say

- (A) $\vec{E} = 0, \vec{B} = 0$ (B) $\vec{E} = 0, \vec{B} \neq 0$ (C) $\vec{E} \neq 0, \vec{B} = 0$ (D) $\vec{E} \neq 0, \vec{B} \neq 0$

- (1) A is correct (2) A and B is correct
(3) A, B and C is correct (4) A, B and D is correct

Ans. (4)



Which combination is in reversed bias

- (1) A (2) B (3) C (4) D

Ans. (2)

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | [facebook.com/ResonanceEdu](https://www.facebook.com/ResonanceEdu) | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 5



JEE(Main) 2024 | DATE : 27-01-2024 (SHIFT-1) | PAPER-1 | MEMORY BASED | PHYSICS

12. Average K.E. of one single molecule of monoatomic gas is 0.414 eV (of 1 molecule). What will be its temp = ?

- (1) 3000 K (2) 3200 K (3) 4292 K (4) 2500 K

Ans. (2)

Sol. $\frac{f}{2}kT = \frac{3}{2}kT = 0.414 \times 1.6 \times 10^{-19} \text{ J}$
 $T = 3200 \text{ K}$

13. Find the value of acceleration due to gravity when its diameter become half (Keeping mass of earth same), If the value of acceleration due to gravity on earth surface is 'g'.

- (1) g (2) g/2 (3) 3g (4) 4g

Ans. (4)


Sol. Value of g at surface, $g_s = \frac{GM}{R^2}$
new value of g = $\frac{GM}{(R/2)^2} = \frac{4GM}{R^2}$
 $g = 4g_s$

14. A point charge $Q = 1 \mu\text{C}$ is placed at origin . find potential difference between point P $(\sqrt{3}, \sqrt{3})$ m and Q $(\sqrt{6}, 0)$ m Find $V_P - V_Q = ?$

- (1) 1 (2) 0 (3) 3 (4) -1

Ans. (2)

Sol.



$|\vec{OP}| = \sqrt{3+3} = \sqrt{6}$

$|\vec{OQ}| = \sqrt{6}$

$V_P = \frac{KQ}{r} = \frac{Kq}{\sqrt{6}}$

$V_Q = \frac{Kq}{\sqrt{6}}$

$V_P - V_Q = 0$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | [facebook.com/ResonanceEdu](https://www.facebook.com/ResonanceEdu) | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal


PAGE # 6

15. Statement –(I) Viscosity of gases > viscosity of liquids
Statement –(II) Surface tension of liquid decrease on adding highly insoluble material.
- (1) Statement I and II correct
(2) Statement I and II both incorrect
(3) Statement I correct and II incorrect
(4) Statement I incorrect and II is correct

Ans. (4)

Sol. Viscosity represent resistance of flow & in liquids molecules are closely packed
Thus there viscosity is higher.
Surface tension of liquid increases on adding highly soluble material as they make bond with solvent
increasing density & thus increasing intermolecular attractions.
On adding insoluble materials surface tension of substance decreases

16.



Angle between (\vec{B}) of magnitude 4T & area (\vec{A}) is 60° Find and emf induced if it is removed from magnetic field in 10s.

- (1) 0 V (2) 1 V (3) 0.5 V (4) 2 V

Ans. (2)

Sol. $E_{\text{avg}} = \left| \frac{\Delta\phi}{\Delta t} \right| = \left(\frac{BA \cos\theta}{\Delta t} \right)$

$$E_{\text{avg}} = \left| \frac{4 \times (2.5 \times 2) \times \cos 60^\circ}{10} \right|$$

$$E_{\text{avg}} = 1 \text{ V}$$

17. Spherometer cannot be used to measure

- (1) ROC of convex surface
(2) ROC of concave surface
(3) Thickness of plane
(4) Specific gravity of liquid.

Ans. (4)

Sol. Spherometer not used to measure specific gravity of liquid.s

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029


Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/resowatch blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 7

18.






Find I_z

Four point masses of 1 kg each placed on corners of a square of side 2m, Find the MOI of system about an axis passing through any one corner and perpendicular to plane will be:

- (1) 8 kgm^2 (2) 16 kgm^2 (3) 32 kgm^2 (4) 64 kgm^2

Ans. (2)

Sol.



$$I = 2(ma^2) + m(\sqrt{2}a)^2$$

$$I = 2ma^2 + 2ma^2$$

$$I = 4ma^2$$

$$= 4 \times 1 \times (2)^2$$

$$I = 16 \text{ kg-m}^2$$

19. EM wave $E_0 = 200 \sin(1.5 \times 10^7 x - 4.5 \times 10^{15} t)$ N/C. Find intensity

- (1) 35 W/m^2 (2) 53 W/m^2 (3) 62 W/m^2 (4) 42 W/m^2

Ans. (2)

Sol. $I = \frac{1}{2} c \epsilon_0 E_0^2$

$$= \frac{1}{2} \times 3 \times 10^8 \times 8.85 \times 10^{-12} \times (200)^2$$

$$I = 53.1 \text{ W/m}^2$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/resowatch blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 8



JEE(Main) 2024 | DATE : 27-01-2024 (SHIFT-1) | PAPER-1 | MEMORY BASED | PHYSICS

20. Given mass of substance as 0.08 kg its specific heat at constant volume is $0.17 \text{ kg}^{-1} \text{ k cal/}^\circ\text{C}$ & change in temperature as 5°C find change in internal energy for this substance?

- (1) 284.2 J (2) 180.2 J (3) 254.3 J (4) 320.2 J

Ans. (1)

Sol. $\Delta U = mC_v \Delta t$

$$= 0.08 \times 0.17 \times 10^3 \times 5$$

$$= 0.068 \times 10^3 \text{ cal}$$

$$= 68 \text{ cal} = 284.2 \text{ J}$$

21. A point charge $13 \mu\text{C}$ is placed on the center of uniformly charged ring of total charge $2\pi \text{ C}$. Find tension in the ring.

$$q = 2\pi C$$




$$Q = 13 \mu\text{C}$$

- (1) 4.25 kN (2) 3.72 kN (3) 5.78 kN (4) 12.5 kN

Ans. (3)

Sol.



$$2T \sin \frac{d\theta}{2} = \frac{kQq}{R^2} \left(\frac{d\theta}{2\pi} \right)$$

$$\Rightarrow T = \frac{k\theta q}{2\pi R^2}$$

$$\Rightarrow T = \frac{9 \times 10^9 \times 13 \times 10^{-6} \times 2\pi}{2\pi(4.5)^2}$$

$$\Rightarrow T = \frac{52}{9} \times 10^3 \text{ N}$$

$$\Rightarrow T = 5.78 \text{ kN}$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029


Toll Free : 1800 258 5555 | 7340010333 | facebook.com/ResonanceEdu | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 9

Resonance® Educating for better tomorrow | JEE(Main) 2024 | DATE : 27-01-2024 (SHIFT-1) | PAPER-1 | MEMORY BASED | PHYSICS

22. If a beaker is filled with immiscible transparent liquid 1 and 2 of refractive index μ_1 and μ_2 having depth 6m each then the apparent depth of the bottom of beaker is.



- (1) $\frac{25}{4}$ m (2) $\frac{45}{4}$ m (3) $\frac{31}{4}$ m (4) $\frac{37}{4}$ m

Ans. (3)

Sol. apparent depth = $\frac{t_1}{\mu_{1rel}} + \frac{t_2}{\mu_{2rel}}$


$$= \frac{6}{3/2} + \frac{6}{8/5}$$

$$= 6 \left[\frac{2}{3} + \frac{5}{8} \right]$$

$$= 6 \left[\frac{16+15}{24} \right]$$

$$= \frac{31}{4} \text{ Ans.}$$

23.



If $l = 60$ cm when galvanometer shows null deflection then find R ?

- (1) 4Ω (2) 3Ω (3) 5Ω (4) 6Ω

Ans. (2)

Sol. $\frac{4.5}{R} = \frac{60}{40}$

$4.5 \times 40 = R \times 60$

$R = 3 \Omega$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 7340010333 facebook.com/ResonanceEdu twitter.com/ResonanceEdu www.youtube.com/resowatch blog.resonance.ac.in


This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 10



| JEE(Main) 2024 | DATE : 27-01-2024 (SHIFT-1) | PAPER-1 | MEMORY BASED | PHYSICS

24.




find charge on capacitor of $150 \mu\text{F}$ in steady state.

- (1) $150 \mu\text{C}$ (2) $250 \mu\text{C}$ (3) $350 \mu\text{C}$ (4) $400 \mu\text{C}$

Ans. (4)

Sol.



$q = C\Delta V$

$= 150 \left(\frac{20}{3} - 4 \right)$

$= 150 \times \frac{8}{3}$

$= 50 \times 8$

$= 400 \mu\text{C}$

25. A Particle is moving on straight line, its displacement-time relation is given as $S = (2t^2+5)$, where S is in meters and t is in seconds. Find its velocity in m/s at $t = 1$ sec. _____ ?

(1) 2 (2) 4 (3) 6 (4) 8

Ans. (2)

Sol. $S = 2t^2 + 5$

$$V = \frac{ds}{dt} = 4t$$






$$= 4(1) = 4\text{m/s}$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RE50 at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555  7340010333  facebook.com/ResonanceEdu  twitter.com/ResonanceEdu  www.youtube.com/resowatch  blog.resonance.ac.in

This solution was download from Resonance JEE(Main) 2024 Solution portal

PAGE # 11

| JEE(Main) 2024 | DATE : 27-01-2024 (SHIFT-1) | PAPER-1 | MEMORY BASED | PHYSICS

26. A prism produces minimum deviation δ_m has refractive index $\cot \frac{A}{2}$. Here A is the angle of prism. Find

δ_m .

(1) A/2

(2) $\pi - A$

(3) $\pi - 2A$

(4) 2A

Ans. (3)

Sol. $\mu = \cot \frac{A}{2}$

$$\mu = \frac{\sin\left(\frac{A + \delta_{\min}}{2}\right)}{\sin\left(\frac{A}{2}\right)}$$

$$\delta_{\min} = \pi - 2A$$

27. A hollow cylindrical conductor has length of 3.14 m while its inner and outer diameters are 4mm and 8mm respectively. The resistance of the conductor is $n \times 10^{-3}$ if the resistivity of the material is $2.4 \times 10^{-8} \Omega\text{m}$. The value of n is

Ans. 0.5

Sol. $R_{\text{eq}} = \frac{\rho l}{\pi(b^2 - a^2)} = \frac{2.4 \times 10^{-8} \times \pi}{\pi(64 - 16) \times 10^{-6}}$

$$= \frac{24 \times 10^{-3}}{48}$$

$$= 0.5 \times 10^{-3} = n \times 10^{-3}$$

$$n = 0.5$$

28. A gas undergoes isothermal expansion from 30 cm^3 to 45 cm^3 . Find heat absorbed by gas if external pressure is 10 k Pa ?

(1) 100 J

(2) 150 J

(3) 120 J

(4) 200 J

Ans. (C)

Sol. $\Delta V = 0$

Therefore $\Delta Q = w$

$$= nRT \ln\left(\frac{V_2}{V_1}\right)$$

$$= P_1 V_1 \ln\left(\frac{V_2}{V_1}\right)$$

$$= 10 \times 10^3 \times 30 \times 10^{-3} \ln\left(\frac{3}{2}\right)$$

$$= 300 \times 0.4$$

$$= 120 \text{ J}$$

Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005



29. A particle is moving from origin with initial velocity $5 \hat{i}$ m/s and constant acceleration $3 \hat{i} + 2 \hat{j}$ m/s².

When position of particle on x-axis is 84 m, its velocity is $\sqrt{\alpha}$ m/s. Find out α :

Ans. (673)

Sol. $x = u_x t + \frac{1}{2} a_x t^2$

$$84 = 5t + \frac{3}{2} t^2$$

$$t = 6 \text{ sec.}$$

$$v = u + at$$

$$\vec{v} = 5 \hat{i} + (3 \hat{i} + 2 \hat{j}) 6$$

$$= 23 \hat{i} + 12 \hat{j}$$

$$|\vec{v}| = \sqrt{529 + 144}$$



$$= \sqrt{673} \text{ m/s}$$

$$\alpha = 673$$

30. Light is incident on a convex lens of focal length 40 cm. And a metal plate is placed on focus of lens & photo current is measured to be I. New photocurrent is I'. If lens is replaced by another lens of focal length of 20 cm & metal plate is kept on its focus. Find the ratio of new photo current to initial photo current ?

Ans. 1

Sol.



Resonance Eduventures Ltd.

Reg. Office & Corp. Office : CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Raj.) - 324005

Ph. No.: +91-744-2777777, 2777700 | FAX No. : +91-022-39167222

To Know more : sms RESO at 56677 | Website : www.resonance.ac.in | E-mail : contact@resonance.ac.in | CIN : U80302RJ2007PLC024029

Toll Free : 1800 258 5555 | 7340010333 | facebook.com/ResonanceEdu | twitter.com/ResonanceEdu | www.youtube.com/resowatch | blog.resonance.ac.in

Boost your Percentile with

PERCENTILE BOOSTER COURSE

COURSE COMMENCEMENT: 5th FEBRUARY 2024

TARGET

JEE (Main) 2024
April Attempt

MODE:
OFFLINE/
ONLINE

COURSE

Concept

Percentile Booster Course (PBC) is for those students who want to boost their percentile in JEE-Main 2024 through a systematic complete course revision & practice plan.

In this course, daily chapter wise tests, Full Syllabus Test, JEE Preparatory Test will be conducted and each test will be followed by proper offline/online discussion class.

COURSE FEE

Offline: ₹4999 | Online: ₹2499

COURSE FEATURES

- Complete Course Coverage
- Regular Practice through Daily Online Practice Test
- Full Syllabus Test
- Approx 2500 practice Que.
- Chapter wise Test
- Joint Preparatory Test
- Back up support of recorded lectures
- Regular Test discussion classes for concept clearance

JEE (Main) 2024 April Attempt में

अधिकतम %ile प्राप्त करने के लिए आज ही Join करें!

SCAN TO
APPLY



*T & C Apply

ADMISSIONS OPEN FOR CLASS 12+

ACADEMIC SESSION 2024-25



TARGET: JEE (ADV.) 2024

For Class XII Passed Student
VISHESH COURSE

MODE: OFFLINE/ONLINE



CLASS STARTS
08TH APRIL, 2024



TARGET: JEE (MAIN) 2024

For Class XII Passed Student
ABHYAAS COURSE

MODE: OFFLINE/ONLINE



CLASS STARTS
08TH APRIL, 2024

SCHOLARSHIP ON THE BASIS OF JEE (MAIN) 2024 %ILE/AIR



Resonance[®]
Educating for better tomorrow

JEE (Advanced) 2023 RESULT

AIR



AIR 22



AIR 26



AIR 29



AIR 32





BIKKINA A. CHOWDARY

All India Ranks (AIR-CRL) in
Top 50 : 8 Top 100 : 15
 All Students are from Our
 Offline/Online Classroom Programs



DESHANK P. SINGH



MAYANK SONI



TANISHQ M. MANDHANE



KRITIN GUPTA

AIR **33**



NAMAN GOYAL

AIR **37**



S S SUMEDH

AIR **44**



KAUSHAL VIJAYVERGIYA

《 JEE (Main) 2023 RESULT 》

22 वर्षों से लगातार... श्रेष्ठ शिक्षण, श्रेष्ठ परिणाम...

6 AIRs in TOP-50

<p>AIR 5</p> <p>300/300 Marks</p>  <p>KAUSHAL VIJAYVERGIYA</p>	<p>AIR 26</p> <p>100%ile</p>  <p>SOHAM DAS</p>	<p>AIR 29</p> <p>100%ile</p>  <p>ASHIK STENNY</p>	<p>AIR 31</p> <p>100%ile</p>  <p>KRISH GUPTA</p>	<p>AIR 34</p> <p>100%ile</p>  <p>MAYANK SONI</p>	<p>AIR 50</p> <p>100%ile (Maths)</p>  <p>HARSHAL LASOD</p>
--	--	---	--	--	--

ADMISSIONS OPEN

Academic Session 2024-25

Class: V to XII & XII+



JEE
(Advanced)



JEE
(Main)



NEET
(UG)

SCHOLARSHIP UPTO



100%

Based on ResoNET (Scholarship Test)

 REGISTERED & CORPORATE OFFICE (CIN: U80302RJ2007PLC024029)
 CG Tower, A-46 & 52, IPIA, Near City Mall, Jhalawar Road, Kota (Rajasthan) - 324005
 0744-2777777 | 73400 10345 | contact@resonance.ac.in | www.resonance.ac.in | Follow Us:  @ResonanceEdu | @Resonance_Edu